


Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus









Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus









Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus









Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of normally consolidated clay

Gertraud Medicus

