


Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay


Gertraud Medicus





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay




Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay


Gertraud Medicus





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay




Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay


Gertraud Medicus





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay




Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay



Gertraud Medicus





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay




Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay



Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay



Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay




Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay


Gertraud Medicus





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay


Gertraud Medicus





Modified Cam Clay Model (Roscoe & Burland, 1968):


Undrained triaxial test of highly overconsolidated clay



Modified Cam Clay Model (Roscoe & Burland, 1968):


Undrained triaxial test of highly overconsolidated clay






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay



Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay




Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay


Gertraud Medicus





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay




Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay


Gertraud Medicus





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay


Gertraud Medicus





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay




Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus








Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay


Gertraud Medicus





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay




Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay



Gertraud Medicus





Modified Cam Clay Model (Roscoe & Burland, 1968):



Undrained triaxial test of highly overconsolidated clay



Modified Cam Clay Model (Roscoe & Burland, 1968):



Undrained triaxial test of highly overconsolidated clay






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay



Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay



Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay



Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus






Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus







Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus









Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay


Gertraud Medicus





Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay



Modified Cam Clay Model (Roscoe & Burland, 1968):

Undrained triaxial test of highly overconsolidated clay

Gertraud Medicus

